

Please make sure to read this written explanation before use. Please keep it so that you can read it when you need to.

Schedule III pharmaceutical

Throat bactericidal disinfectant for sterilization and disinfection of the throat and elimination of bad breath

Isodine® Ugai Gusuri P

Isodine® Ugai Gusuri P is a gargle solution that contains active ingredient povidone iodine, and has excellent sterilization and disinfection effects in the oral cavity and throat.

Characteristics

- The active ingredient povidone iodine releases iodine, and promptly sterilizes and disinfects a broad range of microorganisms such as various bacteria, fungi and viruses.
- Isodine® Ugai Gusuri P shows an excellent effect for sterilization and disinfection of the oral cavity and throat and elimination of bad breath by the sterilization and disinfection effects of the active ingredient povidone iodine and washing effect of gargle.



Precautions

Never do

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.)

Anyone who has had allergic symptoms to this product or any of the ingredients of the product should not use this medication.

Consultation

1. The following persons should contact a physician, pharmacist or registered salesperson for a consultation before use.

- (1) Persons have a history of allergic symptoms induced by drugs, etc.
- (2) Persons have severe oral mucosa erosion.
- (3) Persons were diagnosed with thyroid dysfunction.

2. In the case where any of the following symptoms appears after using this product, since there is a possibility of adverse reactions, immediately stop using this product and consult a physician, a pharmacist, or a registered salesclerk, bringing this package insert.

Affected site	Symptoms	Affected site	Symptoms
Skin	Rash/redness, itching	Digestive system	Feeling Queasy
Mouth	Roughness, smarting pain, burning sensation, irritation	Others	Discomfort

The following serious symptoms may rarely appear. In such case, immediately consult a physician.

Name of Symptom	Symptoms
Shock (Anaphylaxis)	Immediately after using this product, symptoms such as itchy skin, hives, hoarseness, sneezing, itchy throat, respiratory distress, palpitation, or clouding of consciousness may occur.

3. In the case where symptoms do not improve despite use of this product for 5 to 6 days, stop using this product and consult a physician, a pharmacist, or a registered salesclerk, bringing this package insert.

Indications

Sterilization, disinfection and rinsing of the mouth and throat and elimination of bad breath.

Dosage and Administration

Dilute 2 to 4 mL of this product with about 60 mL of water for one time and gargle several times a day.

<Precautions related to Dosage and Administration>

- Strictly follow the Dosage and Administration.
- When allowing children to use this product, a guardian must be present to watch and tell how to use it.
- This product is only for gargling; do not ingest or use for cuts or burns.
- Take care so that this product does not get into the eyes. Should it get into the eyes, immediately rinse them with water or lukewarm water and see an ophthalmologist if you develop a severe irritation.
- Dilute this product before use, and use it soon.

Dosage and Administration

Each mL of this product contains 70 mg of povidone iodine (available iodine 7 mg)

As additives, this product contains ethanol, l-menthol, citric acid, sodium hydrogen phosphate, saccharin sodium, pH adjuster, flavor, tocopherol and propylene glycol.

<Precautions related to Composition>

- The color of dental materials (such as dentures) containing silver may change when using this product.

Precautions for storage and handling

- (1) Seal tightly and store in a cool place avoiding direct sunlight.
- (2) Keep out of reach of children.
- (3) Do not transfer to a different container. (It may lead to misuse or alter the quality.)
- (4) Pay attention to coloring when it comes into contact with clothes, etc. Immediately wash it off with water in this case.
- (5) Do not use this product after the expiration date.

- Disclaimer regarding provision of product information on OTC drugs in foreign languages
- This product is a drug approved based on the Act on Securing Quality, Efficacy and Safety of Products including Pharmaceuticals and Medical Devices in Japan for sale and use in Japan.
- The product information in foreign languages is a translation of the product's package insert written in Japanese, and provided just as supporting information. It is not guaranteed that the information contained and the product itself comply with laws and regulations outside Japan.
- The product information in foreign languages is a tentative translation by the company, and no warranty is given to the translated content. It is subject to modification/change without prior notice in the future.
- We assume no responsibility whatsoever for any problems attributable to the content of the product information in foreign languages.